

# GERDA®

SUPERBLY ENGINEERED DOORS



Optima 60



## REIMAGINING RESIDENTIAL DOOR STANDARDS

---

Pioneer are the UK's exclusive distributors of the Gerda residential door range, delivering style and performance in equal abundance. Pound for pound, Gerda categorically outclass and outperform any other door. Choose the doors forged with strength, resilience and durability.



## TABLE OF CONTENTS

---

INTRODUCTION	2
<b>GERDA</b> ® OPTIMA 60	4
NEW DOOR DESIGNS	6
DOOR DESIGNS	8
HARDWARE CONFIGURATIONS	12
LOCK CYLINDER CONFIGURATIONS	13
LETTERPLATE OPTIONS	13
COLOUR OPTIONS	14
tedee POWERED BY <b>GERDA</b> ®	16
INSPIRATIONAL IMAGERY	18

**GERDA®**  
**OPTIMA 60**



TEMPO · SNUB MILANO 4 B · WINCHESTER · INSERT BLACK · MONTREAL · BLOKTW200

**ALUTHERM 60 DOOR FRAME  
SOLID / GLAZED DOOR**

$U_p = 1.0 / 1.3 \text{ W/m}^2\text{K}$

**RC2 / RC3\***

**GERDA®  
OPTIMA 60**



Anti-burglary vertical bolt driven by the main lock



3 hinge guards



Hinges adjustable in two planes with caps matching fitting's colour



Adjustable keep enables smooth adjustment of the contact force of door and seals



ALUTHERM 60 aluminium frame



**DOOR THICKNESS**




3-bolt class 6 additional GERDA ZW 500 lock





3-bolt class 7 main GERDA ZW 2000 lock



Single key, AB system Class 6 lock cylinders



2-bolt auxiliary lock driven by the main lock



Low aluminium threshold



3 sides rebated



Cill, 4 sizes available: 120 mm, 150 mm, 180 mm, 230 mm



tedee smartlock + bridge

**DIMENSIONS**



WIDTH (MIN-MAX)\*\*


**840 mm - 1130 mm**

HEIGHT (MIN-MAX)\*\*

**1950 mm - 2200 mm**

\* RC grade 2 or 3 according to EN1627 standard, depends on door size and design.

\*\* Height dimensions shown above exclude sill (27 mm) & extensions but include a low threshold as standard. Optima widths and heights come in increments of 10 mm. Width and height range depends on design and colour of the door.



ALUTHERM 60 aluminium frame



# NEW design added to range. Meet the **GERDA Hawkstone.**



### CLASSIC FRAMES



Decorative mouldings in the doors of the ELITE 3D series are made of thick aluminium profiles and attached to the leaf with special hooks. The frames are made in the colour of the door leaf.

DOOR COLOURS	MAX HEIGHT*
FSB WHITE	2200 mm
FKZ STEEL GREY	2100 mm
FKG ANTHRACITE	2200 mm
FKF DARK ANTHRACITE	2200 mm
FKC BLACK	2100 mm
FRR ALPINE WALNUT	2100 mm
FMA MAHOGANY	2087 mm
FRB BRAZILIAN WALNUT	2100 mm
FRP LIGHT WALNUT	2200 mm
FDE GOLDEN OAK	2200 mm
FDW WINCHESTER	2200 mm
FDT TURNER OAK	2087 mm
FEJ LIGHT WENGE	2100 mm

DOOR RANGE	WIDTH	HEIGHT*
ELITE 3D	840 – 1130 mm	1950 – 2200 mm*


\* Certain conditions apply.

\*\* Hawkstone comes with double side pattern as a standard


## HARDWARE OPTIONS

HANDLE - HANDLE


BLOK TW200



BERGEN TW300



BERGEN TD300




KNOB - HANDLE


BLOK TW200



BERGEN TW300



BERGEN TD300



## HARDWARE & LETTERPLATE COLOURS

PLATINUM ANODA

SILVER ANODA

BLACK ANODA

## GLASS COLOURS

CLEAR



MATTE



MIRA STAR



REFLEX GRAPHITE




REFLEX BROWN



## CILL OPTIONS

Cills with thermal compensation available in door colour.



NEW GERDA



HAWKSTONE – double-sided design as standard



NS1B MILANO 8 B



NS2 MILANO 9



NS3 MILANO 10



NSSB HANOVER 5 B



NS6 HANOVER 6



NS7 INNSBRUCK



WOO PLAIN



SNUB MILANO 4 B



NT1 TURYN 1



NT2 TURYN 2



NT1B TURYN 1 B



NS4 MILANO 11



NS9 MILANO 12



NS9B MILANO 12 B



NS5 HANOVER 5



W00 PLAIN



W00 PLAIN



SNU MILANO 4



SNUA MILANO 4 A



NT2B TURYN 2 B



SOJ BERGAMO 2



SJ9 NICEA 9



SBE BERLIN 4

**TEMPO**



ST4 UPPSALA 1



ST4A UPPSALA 1 A



ST5 UPPSALA 2



ST5A UPPSALA 2 A



ST8 RYGA



ST9 LUND



WBA ASPEN 1



TN7 ASPEN 2

**CLASSIC**



WJ1 NICEA 5



W91 WERONA



W54 BARCELONA



W23 OLYMPIA



TML TOKIO 1



TMLA TOKIO 1 A



TMM TOKIO 2



TMMA TOKIO 2 A



TN7B ASPEN 2 B



SR3 TROMSO



SR4 TROMSO 1



SR5 TROMSO 2



W9N WENECJA



W24 LIZBONA

**DOOR COLOURS**

DOOR COLOURS	MAX HEIGHT*
FSB WHITE	2200 mm
FKZ STEEL GREY	2100 mm
FKG ANTHRACITE	2200 mm
FKF DARK ANTHRACITE	2200 mm
FKC BLACK	2100 mm
FRR ALPINE WALNUT	2100 mm
FMA MAHOGANY	2087 mm
FRB BRAZILIAN WALNUT	2100 mm
FRP LIGHT WALNUT	2200 mm
FDE GOLDEN OAK	2200 mm
FDW WINCHESTER	2200 mm
FDT TURNER OAK	2087 mm
FEJ LIGHT WENGE	2100 mm

DOOR RANGE	WIDTH	HEIGHT*
ELITE 3D	840 - 1130 mm	1950 - 2200 mm*
TEMPO**	840 - 1130 mm	1950 - 2200 mm*
CLASSIC**	920 - 1030 mm	1950 - 2100 mm*


\* Certain conditions apply.

\*\* TEMPO and CLASSIC door series double-sided design as standard.


## HARDWARE OPTIONS

HANDLE - HANDLE


BLOK TW200



BERGEN TW300



BERGEN TD300



● MONTREAL  
to combine with BLOK

■ AMSTERDAM  
to combine with BERGEN




KNOB - HANDLE


BLOK TW200



BERGEN TW300



BERGEN TD300



HANDRAIL - HANDLE

BERGEN TW300  
& BERGEN TD200


BLOK TW200  
& BLOK TW200

HANDRAIL - HANDLE

● MONTREAL

■ AMSTERDAM

HANDRAIL SIZES



## HARDWARE COLOURS

PLATINUM ANODA

SILVER ANODA

BLACK ANODA

BRUSHED INOX

ONLY HANDRAILS

## CILL OPTIONS

Cills with thermal compensation available in door colour.



## LOCK CYLINDERS

MAIN LOCK CYLINDER  
KEY-KEY  
CLASS 6  
GEAR



ADDITIONAL LOCK CYLINDER  
KEY-THUMB TURN  
CLASS 6  
CAM



VITA

## CYLINDER COLOURS

SATINE NICKEL

BLACK NICKEL

## AB KEY SYSTEM

A



2 x INSTALLER'S KEY

SINGLE KEY SYSTEM – ONE KEY OPERATES MAIN AND ADDITIONAL LOCK.

INSTALLER'S KEY „A“ OPERATES THE CYLINDER UNTIL „B“ KEY IS USED BY END USER.

B



5 x END USER'S KEYS

SINGLE KEY SYSTEM – ONE KEY OPERATES MAIN AND ADDITIONAL LOCK.

USE OF „B“ KEY DEACTIVATES INSTALLER'S KEYS. A SEALED OPAQUE BAG INCLUDES SET OF „B“ KEYS AND CODE CARD.

## LETTERPLATE OPTIONS



BLACK ANODA



SILVER ANODA



PLATINUM ANODA

## SIDE & TOP LIGHTS



L



G



GP



L



LP



P



LGP

### SIDE LIGHT

WIDTH 300 - 900 mm

HEIGHT 1950 - 2200 mm


### TOP LIGHT

WIDTH 840 - 2950 mm

HEIGHT 300-500 mm

Widths and heights come in increments of 10 mm.

## DOOR COLOURS



## TWO-COLOUR DOOR\*

To obtain a unique configuration of the door to our house, we can combine any two colors from the available TERRA palette. The outer side of the door leaf, as well as the outer frame, will then have a different color than the inner side. In this way, we can even better match the style of the door to the design of the façade and interior. That option is available with an extra charge. Without extra charges, there is also available to order door leaf in a selected color with a frame in a different color.




## DOOR COLOURS



## INSERT COLOURS



## GLASS COLOURS



# tedee smart locks



## tedee GO

**Replace nothing. Keep your keys.**  
Just add a smart lock to your existing setup.

For those who want to keep it simple and enjoy the main smart lock features.

## tedee PRO

**Enter with pleasure.**  
Experience the luxurious feel of top-notch materials and award-winning design.

Enjoy the most superior smart lock on the market. Sleek, quiet, and with a unique look.



# Add extra smart benefits



## tedee smart bridge

**Your front door remote**  
Connect your smart lock to the internet to control your door from wherever you are.  
Unlock your door remotely, check the real-time smart lock's activity, and control it using one easy mobile widget.

## tedee keypad with biometrics

**Unlock with your PIN**  
Put a small keypad outside your home to unlock the door without keys or smart devices.  
Just use the PINs or fingerprint for access sharing and security whilst maintaining total privacy.



## tedee smart relay module

**Make gates and garages smart**  
Manage your street entrance, front gate, and garage door, all in one app.  
Replace your remote control, fobs, cards or keys with your mobile phone.

# Choose your **tedee** smart lock



## Tedee GO



## Tedee PRO

<b>Max diameter</b>	57mm	45mm
<b>Depth</b>	63mm	55mm
<b>Power source</b>	3 x replaceable CR123A/R batteries	Rechargeable Li-Po accumulator
<b>Battery life</b>	Up to 6-8 months	Up to 6-10 months
<b>Installation method</b>	On top of the existing European cylinder	Tedee-compatible European cylinder
<b>Available adapter</b>	Scandinavian, US Deadbolt	European, Scandinavian, US Deadbolt
<b>Available smart home integrations*</b>	Hey Google	Apple Home Homey Hey Google FIBARO Amazon Alexa and 10+ more
<b>Full compatibility with inward-opening doors</b>		
<b>Compatibility on outward-opening doors</b>		
<b>Cylinder to doorframe distance **</b>	min 40mm	min 30mm

\* Status for June 2023

\*\* Measured from the inside with the door closed: the distance between the cylinder axis and the door frame.



## FEATURES & BENEFITS



### CLASS 6 LOCK CYLINDERS INCLUDED

ANTI-BURGLARY TUMBLER LOCK INSERT. NEW LOCK INSERT DESIGN SECURED AGAINST 'LOCK BUMPING', WITH EFFECTIVE DRILL OPENING PROTECTION.



### INSTALL A TEDEE LOCK

SLIDE THE LOCK ONTO A GERDA INSERT, ADJUST THE LOCK POSITION AND SECURE IT WITH ONE BOLT. INSTALLATION TAKES NO MORE THAN TWO MINUTES. INSPECT TO SEE WHETHER THE BOLTS SLIDE UPON TURNING THE KNOB.



### INSTALL THE SMARTPHONE APP

DOWNLOAD THE TEDEE APP FROM APPLE STORE OR GOOGLE PLAY. SIGN UP AND ACTIVATE YOUR BLUETOOTH, LOCATION SERVICE AND INTERNET ACCESS. ADD YOUR LOCK AND ENTER THE ACTIVATION CODE.



### CONNECT THE BRIDGE

FIND A FREE POWER SOCKET NEXT TO THE TEDEE LOCK AND PLUG THE BRIDGE IN. THIS WILL ENABLE YOU TO CONTROL THE LOCK OVER THE INTERNET FROM WHEREVER YOU ARE.



TEMPO · NS9 MILANO 12 · STEEL GREY · INSERT INOX · AMSTERDAM · BERGEN TW300



TEMPO · SBE BERLIN 4 · WINCHESTER · INSERT INOX · MONTREAL · BLOK TW200 · SIDE LIGHT P MATTE

TEMPO · NT1 TURYN 1 · GOLDEN OAK · INSERT INOX · MONTREAL · BLOK TW200



TEMPO · NS6B HANOVER 6 B · WHITE · INSERT BLACK · AMSTERDAM · BERGEN TW300

TEMPO · SOJ BERGAMO 2 · DARK ANTHRACITE · INSERT INOX · MONTREAL · BLOK TW200 · SIDE LIGHT P MATTE



# GERDA®

SUPERBLY ENGINEERED DOORS



TEMPO · TN7 ASPEN 2 · DARK ANTHRACITE · INSERT INOX · MONTREAL · BLOK TW200

[www.gerdadoors.co.uk](http://www.gerdadoors.co.uk)

[sales@gerdadoors.co.uk](mailto:sales@gerdadoors.co.uk)

Distributor

