

GERDA®

SUPERBLY ENGINEERED DOORS

Thermo PRIME 75



28



REIMAGINING RESIDENTIAL DOOR STANDARDS

Pioneer are the UK's exclusive distributors of the Gerda residential door range, delivering style and performance in equal abundance. Pound for pound, Gerda categorically outclass and outperform any other door. Choose the doors forged with strength, resilience and durability.



TABLE OF CONTENTS

INTRODUCTION	2
GERDA ® THERMO PRIME 75	4
NEW DOOR DESIGNS	6
DOOR DESIGNS	8
HARDWARE CONFIGURATIONS	16
LOCK CYLINDER CONFIGURATIONS	17
LETTERPLATE OPTIONS	17
COLOUR OPTIONS	18
tedee POWERED BY GERDA ®	20
INSPIRATIONAL IMAGERY	22

GERDA®
THERMO PRIME 75



QUADRO · KWA PASAWA 1 · BLACK / GOLDEN OAK · INSERT INOX · AMSTERDAM · RING ESCUTCHEON

**ALUTHERM 75 DOOR FRAME
SOLID / GLAZED DOOR**

$U_D = 0.79 / 0,9 \text{ W/m}^2\text{K}$

RC2


**GERDA®
THERMO PRIME 75**



Adjustable hook hitches with flexible teflon insert



3 hinge guards



Hinges adjustable in three planes with caps matching fitting's colour



Adjustable keep enables smooth adjustment of the contact force of door and seals



ALUTHERM 75 aluminium frame



DOOR THICKNESS



5-point mortise lock or 3-point automatic lock




Ring escutcheon available with a handrail




AB system Class 6 lock cylinder



Composite threshold connector



Door leaf with thermal break



Bottom weather seal



4 sides rebated Low, aluminium threshold with thermal break



Cill, 4 sizes available: 120 mm, 150 mm, 180 mm, 230 mm

DIMENSIONS



WIDTH (MIN-MAX)*


840 mm - 1130 mm

HEIGHT (MIN-MAX)*

1950 mm - 2200 mm / 2400 mm**

* Height dimensions shown above exclude sill (27 mm) & extensions but include a low threshold as standard. Thermo Prime widths and heights come in increments of 10 mm. Width and height range depends on design and colour of the door.

** Doors over 2200 mm available only for choice of colours and designs and not tested for security or weather resistance.



ALUTHERM 75 aluminium frame



tedee PRO smartlock + bridge



NEW design added to range. Meet the **GERDA Hawkstone.**



CLASSIC FRAMES



Decorative mouldings in the doors of the ELITE 3D series are made of thick aluminium profiles and attached to the leaf with special hooks. The frames are made in the colour of the door leaf.

DOOR COLOURS	MAX HEIGHT*
FSB WHITE	2200 mm
FKZ STEEL GREY	2100 mm
FKG ANTHRACITE	2200 mm
FKF DARK ANTHRACITE	2200 mm
FKC BLACK	2100 mm
FRR ALPINE WALNUT	2100 mm
FMA MAHOGANY	2087 mm
FRB BRAZILIAN WALNUT	2100 mm
FRP LIGHT WALNUT	2200 mm
FDE GOLDEN OAK	2200 mm
FDW WINCHESTER	2200 mm
FDT TURNER OAK	2087 mm
FEJ LIGHT WENGE	2100 mm

DOOR RANGE	WIDTH	HEIGHT*
ELITE 3D	840 – 1130 mm	1950 – 2200 mm*

* Certain conditions apply.

** Hawkstone comes with double side pattern as a standard

HARDWARE OPTIONS

HARDWARE & LETTERPLATE COLOURS

HANDLE - HANDLE


BERGEN TW300



BERGEN TW300



BERGEN TW300



SOFIA



BERGEN TW300



KNOB - HANDLE

PLATINUM ANODA

SILVER ANODA

BLACK ANODA

GLASS COLOURS

CLEAR



MATTE



MIRA STAR



REFLEX GRAPHITE




REFLEX BROWN



CILL OPTIONS

Cills with thermal compensation available in door colour.



AIR GLASS



AGB LINZ 1*



AGC LINZ 2*



AGD LINZ 3*



**LINZ* – internal side:
plain with frame as standard**



AGG GRAZ 3*



AGGB GRAZ 3 B*




**GRAZ* – internal side:
plain with frame as standard**



AGA SALZBURG*

* AIR GLASS Available only in height 2087 mm

QUADRO



KWA PASAWA 1



KWA PASAWA 1



KWB PASAWA 2



KWC PASAWA 3



AGDB LINZ 3 B*



AGE GRAZ 1*



AGF GRAZ 2*



AGF GRAZ 2*



SALZBURG* – internal side:
plain with frame as standard



AGH VILLACH**



AGHB VILLACH B**



AGHB VILLACH B**



KWCB PASAWA 3 B



KWD PASAWA 4



PASAWA – internal side:
plain with frame as standard



KW4 JENA 4

* AIR GLASS Available only in height 2087 mm. ** AIR GLASS VILLACH available width: 1030 – 1130 mm.



KWE JENA 3



JENA – internal side:
plain with frame as standard



KWF BAMBERG 1



KWF BAMBERG 1



KWK ULM 2



KWK ULM 2



ULM – internal side:
plain with frame as standard



KWL TREWIR 1



KW7 TREWIR 7



TREWIR – internal side:
plain with frame as standard



KWS DORFEN



KWSB DORFEN B



KWG BAMBERG 2



KWH BAMBERG 3



KWI BAMBERG 4



BAMBERG – internal side:
plain with frame as standard



KWL TREWIR 1



KWMB TREWIR 2 B



KWN TREWIR 3



KWP TREWIR 4



KWS DORFEN



DORFEN – internal side:
plain with frame as standard



KWT KASSEL 1



KWXB KASSEL 2 B



KWT KASSEL 1



KASSEL – internal side:
plain with frames as standard



KPN KRONACH 1



KPP KRONACH 2



KPK REGEN 2



KPL REGEN 3



KPS REGEN 4



KPM REGEN 5



DREZNO – internal side: plain as standard,
double-sided design extra charge



KPA ERFURT 1



KPAB ERFURT 1 B



KPB ERFURT 2



KPPB KRONACH 2 B



KRONACH – internal side: plain as standard, double-sided design extra charge



KPJ REGEN 1



KPJ REGEN 1



KPR REGEN 6



KPRB REGEN 6 B




REGEN – internal side: plain as standard, double-sided design extra charge



KPH DREZNO 4



KPC ERFURT 3



ERFURT – internal side: plain as standard, double-sided design extra charge

DOOR COLOURS

DOOR COLOURS	MAX HEIGHT*
FSB WHITE	2400 mm
FKZ STEEL GREY	2100 mm
FKG ANTHRACITE	2400 mm
FKF DARK ANTHRACITE	2400 mm
FKC BLACK	2100 mm
FRR ALPINE WALNUT	2100 mm
FMA MAHOGANY	2087 mm
FRB BRAZILIAN WALNUT	2100 mm
FRP LIGHT WALNUT	2400 mm
FDE GOLDEN OAK	2400 mm
FDW WINCHESTER	2400 mm
FDT TURNER OAK	2087 mm
FEJ LIGHT WENGE	2100 mm

DOOR RANGE

DOOR RANGE	WIDTH	HEIGHT*
AIR GLASS	840 – 1130 mm	2087 mm**
AIR GLASS VILLACH	1030 – 1130 mm	1950 – 2400 mm*
QUADRO	840 – 1130 mm	1950 – 2400 mm*

* Certain conditions apply.

** AIRGLASS height is fixed at 2087mm without cill.

ELITE 3D

**NEW
GERDA**



HAWKSTONE – double-sided design as standard



ELA BRIG



ELB OLTEN



ELC VISP

TEMPO



NS1 MILANO 8



NS1B MILANO 8 B



NS2 MILANO 9



NS3 MILANO 10



NS5B HANOVER 5 B



HANOVER – internal side: double-sided design as standard



NS6 HANOVER 6



NS7 INNSBRUCK



ELD TRIN



ELD TRIN



ELITE 3D – internal side: plain as standard, double-sided design extra charge

ELITE 3D FRAMES

CLASSIC



MODERN



ELITE 3D



NS4 MILANO 11



NS9 MILANO 12



NS9B MILANO 12 B



MILANO – internal side: double-sided design as standard

TEMPO



W00 PLAIN



W00 PLAIN – internal side

DOOR COLOURS

DOOR COLOURS	MAX HEIGHT*
FSB WHITE	2400 mm
FKZ STEEL GREY	2100 mm
FKG ANTHRACITE	2400 mm
FKF DARK ANTHRACITE	2400 mm
FKC BLACK	2100 mm
FRR ALPINE WALNUT	2100 mm
FMA MAHOGANY	2087 mm
FRB BRAZILIAN WALNUT	2100 mm
FRP LIGHT WALNUT	2400 mm
FDE GOLDEN OAK	2400 mm
FDW WINCHESTER	2400 mm
FDT TURNER OAK	2087 mm
FEJ LIGHT WENGE	2100 mm

DOOR RANGE	WIDTH	HEIGHT*
ELITE 3D	840 – 1130 mm	1950 – 2400 mm*
TEMPO	840 – 1130 mm	1950 – 2400 mm*

* Certain conditions apply.

HARDWARE OPTIONS

BERGEIN TW300

EXTERNAL INTERNAL

SOFIA

EXTERNAL INTERNAL

RING ESCUTCHEON & SOFIA

EXTERNAL INTERNAL

RING ESCUTCHEON & BERGEN TW300

EXTERNAL INTERNAL

HANDRAIL - HANDLE

● MONTREAL ■ AMSTERDAM

platinum anoda silver anoda inox black anoda platinum anoda silver anoda inox black anoda

HANDRAIL SIZES

1000 mm 1500 mm 1700 mm 1800 mm

Door height 2076 mm

HARDWARE COLOURS

PLATINUM ANODA

SILVER ANODA

BLACK ANODA

BRUSHED INOX

ONLY HANDRAILS

CILL OPTIONS

Cills with thermal compensation available in door colour.

27 mm

120 mm

27 mm

150 mm

27 mm

180 mm

27 mm

230 mm

LOCK CYLINDERS

MAIN LOCK CYLINDER
KEY-KEY
CLASS 6
GEAR



VITA

CYLINDER COLOURS

SATINE NICKEL

BLACK NICKEL

AB KEY SYSTEM

A



2 x INSTALLER'S KEY

SINGLE KEY SYSTEM – ONE KEY OPERATES MAIN AND ADDITIONAL LOCK.

INSTALLER'S KEY „A“ OPERATES THE CYLINDER UNTIL „B“ KEY IS USED BY END USER.

B



5 x END USER'S KEYS

SINGLE KEY SYSTEM – ONE KEY OPERATES MAIN AND ADDITIONAL LOCK.

USE OF „B“ KEY DEACTIVATES INSTALLER'S KEYS. A SEALED OPAQUE BAG INCLUDES SET OF „B“ KEYS AND CODE CARD.

LETTERPLATE OPTIONS



SIDE & TOP LIGHTS



SIDE LIGHT

WIDTH 300 - 900 mm

HEIGHT 1950 - 2200 mm


TOP LIGHT

WIDTH 840 - 2950 mm

HEIGHT 300-500 mm

Widths and heights come in increments of 10 mm.

DOOR COLOURS



TWO-COLOUR DOOR*

To obtain a unique configuration of the door to our house, we can combine any two colors from the available TERRA palette. The outer side of the door leaf, as well as the outer frame, will then have a different color than the inner side. In this way, we can even better match the style of the door to the design of the façade and interior. That option is available with an extra charge. Without extra charges, there is also available to order door leaf in a selected color with a frame in a different color.




DOOR COLOURS



INSERT COLOURS



GLASS COLOURS



tedee smart locks



tedee GO

Replace nothing. Keep your keys.
Just add a smart lock to your existing setup.

For those who want to keep it simple and enjoy the main smart lock features.

tedee PRO

Enter with pleasure.
Experience the luxurious feel of top-notch materials and award-winning design.

Enjoy the most superior smart lock on the market. Sleek, quiet, and with a unique look.



Add extra smart benefits



tedee smart bridge

Your front door remote
Connect your smart lock to the internet to control your door from wherever you are.
Unlock your door remotely, check the real-time smart lock's activity, and control it using one easy mobile widget.

tedee keypad with biometrics

Unlock with your PIN
Put a small keypad outside your home to unlock the door without keys or smart devices.
Just use the PINs or fingerprint for access sharing and security whilst maintaining total privacy.



tedee smart relay module

Make gates and garages smart
Manage your street entrance, front gate, and garage door, all in one app.
Replace your remote control, fobs, cards or keys with your mobile phone.

Choose your **tedee** smart lock



Tedee GO



Tedee PRO

Max diameter	57mm	45mm
Depth	63mm	55mm
Power source	3 x replaceable CR123A/R batteries	Rechargeable Li-Po accumulator
Battery life	Up to 6-8 months	Up to 6-10 months
Installation method	On top of the existing European cylinder	Tedee-compatible European cylinder
Available adapter	Scandinavian, US Deadbolt	European, Scandinavian, US Deadbolt
Available smart home integrations*	Hey Google	Apple Home Homey Hey Google FIBARO Amazon Alexa and 10+ more
Full compatibility with inward-opening doors		
Compatibility on outward-opening doors		
Cylinder to doorframe distance **	min 40mm	min 30mm

* Status for June 2023

** Measured from the inside with the door closed: the distance between the cylinder axis and the door frame.



FEATURES & BENEFITS



CLASS 6 LOCK CYLINDERS INCLUDED

ANTI-BURGLARY TUMBLER LOCK INSERT. NEW LOCK INSERT DESIGN SECURED AGAINST 'LOCK BUMPING', WITH EFFECTIVE DRILL OPENING PROTECTION.



INSTALL A TEDEE LOCK

SLIDE THE LOCK ONTO A GERDA INSERT, ADJUST THE LOCK POSITION AND SECURE IT WITH ONE BOLT. INSTALLATION TAKES NO MORE THAN TWO MINUTES. INSPECT TO SEE WHETHER THE BOLTS SLIDE UPON TURNING THE KNOB.



INSTALL THE SMARTPHONE APP

DOWNLOAD THE TEDEE APP FROM APPLE STORE OR GOOGLE PLAY. SIGN UP AND ACTIVATE YOUR BLUETOOTH, LOCATION SERVICE AND INTERNET ACCESS. ADD YOUR LOCK AND ENTER THE ACTIVATION CODE.



CONNECT THE BRIDGE

FIND A FREE POWER SOCKET NEXT TO THE TEDEE LOCK AND PLUG THE BRIDGE IN. THIS WILL ENABLE YOU TO CONTROL THE LOCK OVER THE INTERNET FROM WHEREVER YOU ARE.

AIR GLASS · AGA SALZBURG · GOLDEN OAK · INSERT INOX · AMSTERDAM · RING ESCUTCHEON



QUADRO · KWD PASAWA 4 · BRAZILIAN WALNUT · INSERT INOX · AMSTERDAM · RING ESCUTCHEON



QUADRO · KPRB REGEN 6 B · WINCHESTER · INSERT BLACK · AMSTERDAM · RING ESCUTCHEON · SIDE LIGHT P MATTE

AIR GLASS · AGC LINZ 2 · ANTHRACITE · INSERT INOX · AMSTERDAM · RING ESCUTCHEON · SIDE LIGHT L MATTE




AIR GLASS · AGGB GRAZ 3 B · WHITE · INSERT BLACK · AMSTERDAM · RING ESCUTCHEON · SIDE LIGHT L MATTE WITH CLEAR STRIPES



GERDA®

SUPERBLY ENGINEERED DOORS



AIR GLASS · AGA SALZBURG · ALPINE WALNUT · INSERT INOX · AMSTERDAM · RING ESCUTCHEON

www.gerdadoors.co.uk
sales@gerdadoors.co.uk

Distributor