

GERDA®

SUPERBLY ENGINEERED DOORS

Thermo PREMIUM 75





REIMAGINING RESIDENTIAL DOOR STANDARDS

Pioneer are the UK's exclusive distributors of the Gerda residential door range, delivering style and performance in equal abundance. Pound for pound, Gerda categorically outclass and outperform any other door. Choose the doors forged with strength, resilience and durability.



TABLE OF CONTENTS

INTRODUCTION	2
GERDA ® THERMO PREMIUM 75	4
NEW DOOR DESIGNS	6
DOOR DESIGNS	8
HARDWARE CONFIGURATIONS	16
LOCK CYLINDER CONFIGURATIONS	17
LETTERPLATE OPTIONS	17
COLOUR OPTIONS	18
tedee POWERED BY GERDA ®	20
INSPIRATIONAL IMAGERY	22

GERDA®
THERMO PREMIUM 75



TEMPO · NS1 MILANO 8 · WINCHESTER · INSERT INOX · BERGEN TD200 · SIDE LIGHT P MATTE

**ALUTHERM 75 DOOR FRAME
SOLID / GLAZED DOOR**

$U_D = 0.8 / 1.1 \text{ W/m}^2\text{K}$

RC2 / RC3*


**GERDA®
THERMO PREMIUM 75**



Anti-burglary vertical bolt driven by the main lock



3 hinge guards



Hinges adjustable in three planes with caps matching fitting's colour



Adjustable keep enables smooth adjustment of the contact force of door and seals




ALUTHERM 75 aluminium frame



DOOR THICKNESS




3-bolt class 6 additional GERDA ZW 500 lock




3-bolt class 7 main GERDA ZW 2000 lock




Single key, AB system Class 6 lock cylinders



2-bolt auxiliary lock driven by the main lock



Door leaf with thermal break



Bottom weather seal



4 sides rebated Low, aluminium threshold with thermal break



Cill, 4 sizes available: 120 mm, 150 mm, 180 mm, 230 mm

DIMENSIONS




WIDTH (MIN-MAX)**

840 mm - 1130 mm

HEIGHT (MIN-MAX)**

1950 mm - 2200 mm

* RC grade 2 or 3 according to EN1627 standard, depends on door size and design.
** Height dimensions shown above exclude sill (27 mm) & extensions but include a low threshold as standard. Thermo Premium widths and heights come in increments of 10 mm. Width and height range depends on design and colour of the door.



ALUTHERM 75 aluminium frame



tedee smartlock + bridge



NEW design added to range. Meet the **GERDA Hawkstone.**



CLASSIC FRAMES



Decorative mouldings in the doors of the ELITE 3D series are made of thick aluminium profiles and attached to the leaf with special hooks. The frames are made in the colour of the door leaf.

DOOR COLOURS	MAX HEIGHT*
FSB WHITE	2200 mm
FKZ STEEL GREY	2100 mm
FKG ANTHRACITE	2200 mm
FKF DARK ANTHRACITE	2200 mm
FKC BLACK	2100 mm
FRR ALPINE WALNUT	2100 mm
FMA MAHOGANY	2087 mm
FRB BRAZILIAN WALNUT	2100 mm
FRP LIGHT WALNUT	2200 mm
FDE GOLDEN OAK	2200 mm
FDW WINCHESTER	2200 mm
FDT TURNER OAK	2087 mm
FEJ LIGHT WENGE	2100 mm

DOOR RANGE	WIDTH	HEIGHT*
ELITE 3D	840 – 1130 mm	1950 – 2200 mm*


* Certain conditions apply.

** Hawkstone comes with double side pattern as a standard


HARDWARE OPTIONS

HANDLE - HANDLE

BERGEN TD200




BERGEN TD200




KNOB - HANDLE

BERGEN TD200



BERGEN TD200



HARDWARE & LETTERPLATE COLOURS

PLATINUM ANODA

SILVER ANODA

BLACK ANODA

GLASS COLOURS

CLEAR



MATTE



MIRA STAR



REFLEX GRAPHITE



REFLEX BROWN



CILL OPTIONS

Cills with thermal compensation available in door colour.



AIR GLASS



AGB LINZ 1*



AGC LINZ 2*



AGD LINZ 3*



**LINZ* – internal side:
plain with frame as standard**



AGGB GRAZ 3 B*



**GRAZ* – internal side:
plain with frame as standard**



AGA SALZBURG*



**SALZBURG* – internal side:
plain with frame as standard**

* AIR GLASS Available only in height 2087 mm.

QUADRO



KWA PASAWA 1



KWB PASAWA 2



KWC PASAWA 3



KWCB PASAWA 3 B



AGDB LINZ 3 B*



AGE GRAZ 1*



AGF GRAZ 2*



AGG GRAZ 3*



AGA SALZBURG*



AGH VILLACH**



AGHB VILLACH B**



VILLACH** - internal side:
plain with frame as standard



KWA PASAWA 4



PASAWA - internal side:
plain with frame as standard



KWE JENA 3



JENA - internal side:
plain with frame as standard

AIR GLASS

* AIR GLASS Available only in height 2087 mm. ** AIR GLASS VILLACH available width: 1030 - 1130 mm.

QUADRO



KW4 JENA 4



KWF BAMBERG 1



KWG BAMBERG 2



KWH BAMBERG 3



KWK ULM 2



KWK ULM 2



**ULM – internal side:
plain with frame as standard**



KWL TREWIR 1



**TREWIR – internal side:
plain with frames as standard**



KWSB DORFEN B



KWS DORFEN



**DORFEN – internal side:
plain with frames as standard**



KWI BAMBERG 4



BAMBERG – internal side:
plain with frame as standard



KWJ ULM 1



KWJB ULM 1 B



KWMB TREWIR 2 B



KWN TREWIR 3



KWP TREWIR 4



KW7 TREWIR 7



KWT KASSEL 1



KWXB KASSEL 2 B



KWT KASSEL 1



KASSEL – internal side:
plain with frame as standard



KPN KRONACH 1



KPP KRONACH 2



KPPB KRONACH 2 B



KPT KRONACH 3



KPL REGEN 3



KPS REGEN 4



KPM REGEN 5



KPR REGEN 6



KPFB DREZNO 2 B



KPH DREZNO 4



DREZNO – internal side: plain as standard, double-sided design extra charge



KPA ERFURT 1



KPZ KRONACH 4



KRONACH – internal side: plain as standard, double-sided design extra charge



KPJ REGEN 1



KPK REGEN 2



KPRB REGEN 6 B



REGEN – internal side: plain as standard, double-sided design extra charge



KPE DREZNO 1



KPF DREZNO 2



KPAB ERFURT 1 B



KPBE ERFURT 2



KPC ERFURT 3



ERFURT – internal side: plain as standard, double-sided design extra charge

ELITE 3D

**NEW
GERDA**



HAWKSTONE – double-sided design as standard



ELA BRIG



ELB OLTEN



ELC VISP

TEMPO



NS1 MILANO 8



NS1B MILANO 8 B



NS2 MILANO 9



NS3 MILANO 10



NS5B HANOVER 5 B



NS6 HANOVER 6



HANOVER – internal side: double-sided design as standard



NS7 INNSBRUCK



ELD TRIN



ELE BERNO



ELITE 3D – internal side: plain as standard, double-sided design extra charge

ELITE 3D FRAMES

CLASSIC



MODERN



ELITE 3D



NS4 MILANO 11



NS9 MILANO 12



NS9B MILANO 12 B



MILANO – internal side: double-sided design as standard

TEMPO



INNSBRUCK – internal side: double-sided design as standard



WOO PLAIN

DOOR COLOURS


DOOR COLOURS	MAX HEIGHT*
FSB WHITE	2200 mm
FKZ STEEL GREY	2100 mm
FKG ANTHRACITE	2200 mm
FKF DARK ANTHRACITE	2200 mm
FKC BLACK	2100 mm
FRR ALPINE WALNUT	2100 mm
FMA MAHOGANY	2087 mm
FRB BRAZILIAN WALNUT	2100 mm
FRP LIGHT WALNUT	2200 mm
FDE GOLDEN OAK	2200 mm
FDW WINCHESTER	2200 mm
FDT TURNER OAK	2087 mm
FEJ LIGHT WENGE	2100 mm

DOOR RANGE	WIDTH	HEIGHT*
AIR GLASS	840 – 1130 mm	2087mm**
AIR GLASS VILLACH	1030 – 1130 mm	1950 – 2200 mm*
QUADRO	840 – 1130 mm	1950 – 2200 mm*
ELITE 3D	840 – 1130 mm	1950 – 2200 mm*
TEMPO	840 – 1130 mm	1950 – 2200 mm*

* Certain conditions apply.

** AIRGLASS height is set at 2087 mm without cill.

HARDWARE OPTIONS




HARDWARE COLOURS



CILL OPTIONS

Cills with thermal compensation available in door colour.



LOCK CYLINDERS

MAIN LOCK CYLINDER
KEY-KEY
CLASS 6
GEAR



ADDITIONAL LOCK CYLINDER
KEY-THUMB TURN
CLASS 6
CAM



VITA

CYLINDER COLOURS

SATINE NICKEL

BLACK NICKEL

AB KEY SYSTEM

A



2 x INSTALLER'S KEY

SINGLE KEY SYSTEM – ONE KEY OPERATES MAIN AND ADDITIONAL LOCK.

INSTALLER'S KEY „A“ OPERATES THE CYLINDER UNTIL „B“ KEY IS USED BY END USER.

B




5 x END USER'S KEYS

SINGLE KEY SYSTEM – ONE KEY OPERATES MAIN AND ADDITIONAL LOCK.

USE OF „B“ KEY DEACTIVATES INSTALLER'S KEYS. A SEALED OPAQUE BAG INCLUDES SET OF „B“ KEYS AND CODE CARD.

LETTERPLATE OPTIONS



SIDE & TOP LIGHTS



SIDE LIGHT

WIDTH 300 - 900 mm

HEIGHT 1950 - 2200 mm


TOP LIGHT

WIDTH 840 - 2950 mm

HEIGHT 300-500 mm

Widths and heights come in increments of 10 mm.

DOOR COLOURS



TWO-COURED DOOR*

To obtain a unique configuration of the door to our house, we can combine any two colors from the available TERRA palette. The outer side of the door leaf, as well as the outer frame, will then have a different color than the inner side. In this way, we can even better match the style of the door to the design of the façade and interior. That option is available with an extra charge. Without extra charges, there is also available to order door leaf in a selected color with a frame in a different color.




DOOR COLOURS



INSERT COLOURS



GLASS COLOURS



tedee smart locks



tedee GO

Replace nothing. Keep your keys.

Just add a smart lock to your existing setup.

For those who want to keep it simple and enjoy the main smart lock features.

tedee PRO

Enter with pleasure.

Experience the luxurious feel of top-notch materials and award-winning design.

Enjoy the most superior smart lock on the market. Sleek, quiet, and with a unique look.



Add extra smart benefits



tedee smart bridge

Your front door remote

Connect your smart lock to the internet to control your door from wherever you are.

Unlock your door remotely, check the real-time smart lock's activity, and control it using one easy mobile widget.

tedee keypad with biometrics

Unlock with your PIN

Put a small keypad outside your home to unlock the door without keys or smart devices.

Just use the PINs or fingerprint for access sharing and security whilst maintaining total privacy.



tedee smart relay module

Make gates and garages smart

Manage your street entrance, front gate, and garage door, all in one app.

Replace your remote control, fobs, cards or keys with your mobile phone.



Choose your **tedee** smart lock



Tedee GO



Tedee PRO

Max diameter	57mm	45mm
Depth	63mm	55mm
Power source	3 x replaceable CR123A/R batteries	Rechargeable Li-Po accumulator
Battery life	Up to 6-8 months	Up to 6-10 months
Installation method	On top of the existing European cylinder	Tedee-compatible European cylinder
Available adapter	Scandinavian, US Deadbolt	European, Scandinavian, US Deadbolt
Available smart home integrations*	Hey Google	Apple Home Homey Hey Google FIBARO Amazon Alexa and 10+ more
Full compatibility with inward-opening doors		
Compatibility on outward-opening doors		
Cylinder to doorframe distance **	min 40mm	min 30mm

* Status for June 2023

** Measured from the inside with the door closed: the distance between the cylinder axis and the door frame.



FEATURES & BENEFITS



CLASS 6 LOCK CYLINDERS INCLUDED

ANTI-BURGLARY TUMBLER LOCK INSERT. NEW LOCK INSERT DESIGN SECURED AGAINST 'LOCK BUMPING', WITH EFFECTIVE DRILL OPENING PROTECTION.



INSTALL A TEDEE LOCK

SLIDE THE LOCK ONTO A GERDA INSERT, ADJUST THE LOCK POSITION AND SECURE IT WITH ONE BOLT. INSTALLATION TAKES NO MORE THAN TWO MINUTES. INSPECT TO SEE WHETHER THE BOLTS SLIDE UPON TURNING THE KNOB.



INSTALL THE SMARTPHONE APP


DOWNLOAD THE TEDEE APP FROM APPLE STORE OR GOOGLE PLAY. SIGN UP AND ACTIVATE YOUR BLUETOOTH, LOCATION SERVICE AND INTERNET ACCESS. ADD YOUR LOCK AND ENTER THE ACTIVATION CODE.



CONNECT THE BRIDGE

FIND A FREE POWER SOCKET NEXT TO THE TEDEE LOCK AND PLUG THE BRIDGE IN. THIS WILL ENABLE YOU TO CONTROL THE LOCK OVER THE INTERNET FROM WHEREVER YOU ARE.

QUADRO · KWMB TREWIR 2 B · WHITE · INSERT BLACK · AMSTERDAM · BERGEN TW300



QUADRO · KWF BAMBERG 1 · STEEL GREY · INSERT INOX · AMSTERDAM · BERGEN TW300



QUADRO · KWT KASSEL 1 · DARK ANTHRACITE / WINCHESTER · AMSTERDAM · BERGEN TW300

TEMPO · NS6 HANOVER 6 · DARK ANTHRACITE · INDERT INOX · AMSTERDAM · BERGEN TW300 · SIDE LIGHT L MATTE



QUADRO · KW5B DORFEN B · WINCHESTER · AMSTERDAM · BERGEN TW300 · SIDE LIGHT P MATTE



GERDA®

SUPERBLY ENGINEERED DOORS



TEMPO · NSSB HANOVER 5 B · GOLDEN OAK · INSERT BLACK · AMSTERDAM · BERGEN TW300

www.gerdadoors.co.uk

sales@gerdadoors.co.uk

Distributor